

[図1]




Best Available Con


[図2]





[図3]




[図4]









[図5]




[図6]




[図7]




[図8]








[図9]





[図10]

DOCKET NO.: 8048-1190 INVENTOR: TAKAHISA NISHIZU ET AL. FILING DATE: SEPTEMBER 25, 2006 TITLE: VOLUME MEASURING DEVICE AND METHOD

11/13


[図11]

表1


| | マイクロフォンを用いた場合 | | 定電流駆動型増幅器を用いた場合 | |
|----------|---------------|-------|-----------------|--------|
| | 無騒音 | 騒音下 | 無騒音 | 騒音下 |
| 標本数 | 100 | 100 | 100 | 100 |
| 変動係数 [%] | 0.00173 | 0.254 | 0.0238 | 0.0256 |

*変動係数(%):平均値に対する標準偏差の百分率

[図12]



[図13]



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.